

INTERNATIONAL JOURNAL OF SCIENTIFIC AND UNIVERSITY RESEARCH PUBLICATION

## International Journal Of Scientific And University Research Publication

ISSN No 2364/2018

Listed & Index with ISSN Directory, Paris



Multi-Subject Journal



Volum : (3) | Issue : 211 |

Research Paper



#### **DEVELOPMENT OF NANO PARTICLES WITH TETRACYCLINE WITH INTERFACIAL DEPOSITION OF PHB (POLY-B-HYDROXYBUTYRATE)**

Mekala M || Assistant professor

**Department of Microbiology** 

Sri Ramakrishna College of Arts and Science for Women

Coimbatore-641 014

Tamil Nadu

India.

Different soil samples were collected for the isolation of PHB producing bacillus sp present in Coimbatore area. As the preliminary analysis the screening, extraction

ary analysis the screening, extraction and estimation of PHB, Physical optimization of PHB production, chemical characterization of extracted powder was done by FTIR analysis. Tetracycline is the drug of choice for per oral administration using nanoprecipitation technique. The production of  $Poly-\beta$ -hydroxybutyrate (PHB) as nanoparticle containing Tetracycline, increase the stability of loaded drug. The extracted PHB created as nanoparticles and the nano encapsulation was done by PCL immobilization method with presence and absence of drug. The resulting nanoparticle is characterized by Scanning Electron Microscopy (SEM) analysis.

> Extraction of PHB, Nano encapsulation Nanoparticles, Interfacial

#### 2.1 Isolation, Qualitative and Quantitative screening of PHB 2005).t al, e producing organisms from soil samples (Yilmaz

The soil isolates were screened for PHB production. As a preliminary step, screening of PHB producers was carried out using viable colony staining technique. (Williamson and Wilkinson, 1958). The selected strains were grown on minimal broth and incubated at 37°C and extracted using chloroform extraction method.

#### 2.2 Development of Nanoencapsulation with PHB

About 1gm of PHB powder was dissolved in 5 ml chloroform and mix thoroughly to that suspension about 0.1% PCL was added and the mixture was heated with magnetic stirrer. About 100ml of 1.2% sodium alginate solution was added to the above mixture and stirred with magnetic stirrer for about 15-30 minutes. The prepared solution was loaded in a syringe and poured on to the beaker/plate containing about 1 mol calcium chloride solution. The PHB nanoparticles are developed without drug.

#### 2.3 Development of Nanoencapsulation with Tetracycline

About 1 gm of PHB was dissolved in 5 ml of chloroform about 0.1gm of Tetracycline was added in to the mixture and mix thoroughly. About 0.1% PCL solution was added to the mixture and was mixed thoroughly using magnetic stirrer for about 15-30 minutes. About 100 ml of 1.2% sodium alginate solution was added to the mixture and stirred with magnetic stirrer for about 15-30 minutes. The prepared solution was loaded in a syringe and poured on to the beaker/plate containing about 1 mol calcium chloride solution. PHB nanoparticles are encapsulated with Tetracycline.

#### 2.4 Development of PHB Nanoparticles

About 2 gm of PHB powder was mixed with 150 mg of propyl- ene glycol and was dissolved in 5 ml chloroform and mixed sep- arately. The dispersion was added to 10 ml of aqueous ethanol solution (70%). After 5 minutes the mixture of organic solvents were removed by evaporation at 35° C under normal pressure and centrifuged at 10000 rpm for 20 min. The supernatant were removed and pellet was washed with water and dried at room temperature. The dried powder of PHB was taken for SEM image to observe the nanoparticles.

## 2.5 Chemical Characterization of Developed PHB Nanopar-

About 1 mg of extracted PHB powder was mixed with 5 ml chloroform in a screw cap tube. The samples were then subjected to FTIR analysis.

is an upcoming and fast developing field with Nanotechnology potential application for human welfare. Recently many studies have been conducted to explore the synthesis of nanoparticle by the use of biodegradable polymers as a potential bio sources such as polyethylene glycol (PEG), polylactic glycolic acid (PLGA) and Poly-β-hydroxybutyrate (PHB) (Hans and Lowman, 2002). Materials used in the preparation of nanoparticles are sterilizable, non toxic and biodegradable like albumin, ethyl cellulose, gelatin polyesters etc. Pharmaceutical companies focused their research on creating nanoparticles formulations with high surface to volume ratios for personal administration of hydrophobic compounds. Various methods are used for the preparation of nanoparticles the salting-out (Bindschaedler et al, 1988), emulsifica tiondiffusion and nano precipitation (Fessi et al, 1989) methods. One of the important methods for designing nanoparticle is the nanopreciptation. Tetracycline is the drug of choice for per oral administration using nanoprecipitation technique. The nano precipitation method is also called solvent displacement or interfacial deposition where the drug solution in a water miscible organic solvent is mixed with an aqueous solution containing a surfactant. Upon mixing, the supersaturated solution leads to nucleation and growth of drug particles, which may be stabilized by surfactant (Barichello et al, 1999). The production Polyβ-hydroxybutyrate (PHB) nanoparticles containing tetracycline, increase the stability of loaded drug. The resulting nanoparticle is characterized by Fourier Transform Infrared Spectroscopy (FTIR), scanning electron microscopy (SEM), various physicochemical testing methods and the invitro release of drug is carried by dialysis method. For the present study the PHB was selected for nanoparticle formation. Polymer sciences have been the backbone of -pharmaceutics (Pillai and Panchagnula, 2001). Poly-ß hydroxybutyrate (PHB) has gained attention as a particulate carrier , 1993) due to theiret alcontaining chemotherapeutic drugs (Allemann biodegradable, biocompatible and low toxicity properties, in which the drug is dissolved, entrapped, encapsulated or attached to a nanoparticle matrix. Tetracycline is prescribed for prevention and cure and is internationally accepted that Tetracycline was the best choice of treatment.

#### Materials and methods .2

The microbial isolates were screened for PHB production from soil samples collected from different geographical zones.

II I		
tribigas	opec	ps
	ABP	
grı	ıD	
tiW		
h		
Dru		
g- T		
etra		
cycli		
l ne l		

skaeP

ocia ted		338 3.39 cm-	4 c m-1	Peak 1
	7.96 cm- 1	277	0 4	Peak 2
00	236 0.44 cm- 1	-	242 9.8 cm- 1 235 8.5 cm- 1	Peak 3
bon	7.02 cm-	8 c	6.7	Peak 4
bsor	145 5.99 cm- 1	2.1c		Peak 5
CH 2.N H -C= O	cm-	8 c m-1	111 1.7 cm- 1 106 7.4	Peak 6 Peak 7

**6 Physical Characterization of Developed PHB Nanoparticles 2.** Scanning electron microscopy (SEM) was used for the physical

Scanning electron microscopy (SEM) was used for the physical characterization of developed nanoparticles.

#### 3-Results

#### 3.1 Isolation of PHB Producing Organisms from Soil

All the eight isolates from soil samples were observed under the direct dilution and plating on minimal agar were observed on the basis of their colony morphology and sub cultured on to appropriate medium and subjected to further study. The results are presented in the table 1.

#### $able\ 1\ Colony\ Type\ of\ the\ Isolates T$

Isolates Colony Morphology

B1 Dry, Small, feathery, flat, creamy colonies

B2 Mucoid, large, circular, creamy colonies

B3 Dry, irregular, medium- larger, flat colonies

B4 Feathery, irregular, creamy-buff, flat colonies

B5 Mucoid, irregular, small, creamy, flat colonies

B6 Dull, Small, branchy, dry, flat colonies

B7 Dull, Creamy, branchy, large, flat colonies

B8 Dull, moist, small, flat colonies

#### 3.2 Screening of PHB Producing Organisms Using Sudan Black Staining Technique

Different bacterial colonies appear on the Nutrient agar were subjected to screening of Poly-β- hydroxybutrate (PHB) producers using Sudan black B staining solution. The blue black coloured intracellular granules were observed within the cells by the uptake of Sudan black B stains. Mass cultivation of PHB and extracted PHB was collected and stored.

#### 3.3 Development of PHB Nano Encapsulation by Emulsification, Solvent displacement and interfacial deposition Method.

Polymer deposition occurs at the interface between water and chloroform nanodroplets, forming nanocapsules with a shellike wall.

PCL (Poly Capro Lactone) and PHB nanospheres were produced by

Emulsion polymerization were shown in plate 1.

#### 3.4 Nanoencapsulation with Tetracycline

Porous microspheres were prepared by the emulsion solvent diffusion method by Tetracycline (0.1mg/ml). The resulting solution was poured into an aqueous solution of PCL. The encapsulated particles are round in calcium chloride solution and the interfacial deposition of PHB and tetracycline were shown in Plate no1.

## Plate 1 Nanoencapsulation with Tetracycline 3.5 Characterization of Developed PHB Nanoparticles

The Physical characterization of developed PHB nanoparticles were done by SEM (Scanning Electron microscopy) and chemical characteristics of developed PHB nanoparticles were investigated by FTIR analysis.

3.5.1 Chemical Characterization of Developed PHB
Nanoparticles with Tetracycline FTIR
3.5.1.1 Fig 1 FTIR Analysis of Tetracycline

cnochloch-1

$\Box$				
C-Q				Peak 8
		4.4		
		cm-	m-1	
$\square$	1	1		
C-Q		123	417.	Peak 9
		4.4		
		cm-	-1	
	1	1		D 1 10
	117		-	Peak 10
	7.33			
H	cm-	m-1		
		112		Peak 11
-0	113 5.87	7.	-	ı cak 11
	cm-			
	1	1		
C-C	103	103	-	Peak 12
	6.55			
	cm-			
	1			
C-Q	100	100	-	Peak 13
	1.84			
	cm-	m-1		
Ш	1			
C-H	947.	950	-	Peak 14
	842	cm-		
	cm-	1		
Ш	1			
N-H	861.		-	Peak 15
	06 c			
	m-1	771		D 1 1 1 5
C-U	780.		-	Peak 16
	065	cm-		
	cm-	1		
C-C				Peak 17
Out				i cak 1/
		744	_	
	496			
	cm-	1		
ben	1			
ding				
Ĭ				

of plane

## HB P3.5.1.4 The FTIR spectra of PHB revealed the presence of and Tetracycline

Peak 1 revealed the presence of functional group associated with hydroxyl absorption band, the similar peak were observed from the FTIR spectra of drug (3383.39 cm-1) and drug with PHB (3386.39 cm-1). On comparison with the absorption spectra of peak 2 revealed the presence of CH, CH3 group the similar peak were observed from the FTIR analysis of drug (2776 cm-1) and drug with PHB (2777.96 cm-1). On comparison with the absorp- tion spectra of peak 4 and 5 revealed the presence of Carbonyl absorption of peptide group, the similar peak were observed from the FTIR spectra of drug (1618 cm-1, 1452.1cm-1) and drug with PHB (1617.02 cm-1, 1455.99 cm-1) respectively. Peak 6 obtained revealed the presence of CH2.NH group and similar peak obtained from the FTIR spectra of drug (1358 cm-1) and drug with PHB (1383.68 cm-1). Peak 7, 8 and 9 obtained revealed the presence of C-O, the similar peak were obtained from the FTIR spectra of drug and drug with PHB.On Comparison of the absorption spectra obtained from the peak 10 to peak 17 revealed the presence of C-O, C-H, N-H functional groups are considered to be the weak bands and such type of weak bands were observed from the FTIR analysis of drug and

drug with PHB.

#### 3.6 Physical Characterization of Developed PHB Nanoparti- cles

SEM used to investigate the morphology of developed PHB nanoparticles as a discreate spherical structure with aggregation on 30,000 X and 40,000 X magnification revealed the property as smooth, moderate uniformity in shape. The size and increased number of spherical structure influences the impact strength of the developed PHB nanoparticle as shown plate 2.

#### niossucDisPlate no 2

New methods have recently developed in the controlled release of drug. PHB as biomaterial from natural sources play an important role (2010). PHBs areet al., for control release, supported by YuCuiXiong totally biosynthetic, biodegradability, biocompatibility and good thermo mechanical properties. The discussion of the Research work describes the eight effective PHB producing soil isolates. The developed Nano capsules with shell like spherical porous microspheres structure formed between water and chloroform and nanodroplets. As one of the first methods for production of nanoparticles, surfactants or protective soluble polymers were used to prevent aggregation in the early stages of polymerization reported by Exman and Sjfholm (1978). Comparative FTIR analysis of -developed nanospheres with Tetracycline (fig 2) revealed two anti symmetric stretching vibrations of CH are observed at 2969 cm-1 and 2916 cm-1 is due symmetric stretching of methyl group. The carbonyl group in the four membered ring have a strong absorption at around 1775 cm-1 (fig 2). Hence, the similar band was observed 1774 cm-1 as signed to carbonyl vibrations by Johan (1978). Two strong bands at 1688 cm-1 and 1607 cm-1 are assigned to carbonyl vibrations of carboxylic group (COO-) (fig 2), the similar absorption spectrum was obtained in fig 1. In the synthetic heterocyclic compound, Tetracycline, S-C stretching vibrations are observed in the region of 650-750 cm-1. The bands of medium to weak intensity at 646,697, 711 and 736 cm-1 are assigned to heterocyclic S-C streching vibration supported by Hill and Rendell (1975). On comparison of FTIR analysis of developed nanospheres revealed the presence of functional groups of PHB and tetracycline.

#### onisuloncC

PHB and PHB with drug were prepared and the studies showed that the nano encapsulation of PHB. The FTIR Spectrum of PHB and tetracycline of encapsulated nanoparticle revealed the presence of similar peaks as in extracted dry powder (PHB and Tetracycline). PHB with drug can be used more effectively to achieve longer intercellular controlled drug release.

#### استنتاج

PHB and PHB with drug were prepared and the studies showed that the nano encapsulation of PHB. The FTIR Spectrum of PHB and tetracycline of encapsulated nanoparticle revealed the presence of similar peaks as in extracted dry powder (PHB and Tetracycline). PHB with drug can be used more effectively to achieve longer intercellular controlled drug release.

#### ref\_str

-Allemann, E., Leroux, J.C and Gurny, R. (1998). Polymeric nano.1 micro particles for the oral delivery of peptides and peptidomimetics.

Adv. Drug. Deliv. Rev., 34:171-89.

Barichello, J.M., Morishita, M., Takayama, K and Nagai, T. (1999)..2

Encapsulation of hydrophilic and lipophilic drugs in PLGA nano particles by the nano.3

- precipitation method. Drug Dev. Ind. Pharm., 25:471-6.
- Bindschaedler, C. and Toyomi, S. (1988). Microencapsulation process .4 and products. 35: 755-774.
- Burdon, K.L., Stokes, J.C. and Kimbrough, C.E. (1942). Studies of .5 Journal of bacteriology, 44 *Bacilli*. the common aerobic sporeforming (2):163-168.
  - Catarina, P. R., Ronald, J. and Neufeld, A. (2006) Methods for .6 preparation of drugloaded polymeric nano particles 8-21.
  - Ekman, B. and Sjfholm, I. (1978). Improved stability of proteins .7 immobilized in micro particles prepared by modified emulsion polymerization technique. J Pharm Sci., 67:693 6.
- Fessi, H., Puisieux, F., Devissaguet, J.P., Ammoury, N. and Benita, S..8 (1989) Nano capsule formation by interfacial deposition following solvent displacement. Int. J. Pharm., 55: R1- R4.
  - Hill, R. R. and Rendell, D. A. E. (1972). Interpretation of Infrared 9 Spectra Heyden New York.
- Hans, M.L. and Lowman, A.M. (2002). Biodegradable nano particles .10 for drug delivery and targeting. Current Opinion Solid State Mater Sci., 6: 319-27.
  - Hartman, T.L. (1940). The use of Sudan black B as a bacterial fat.11 stain. Stain technology, 15:23-28.
- - John, R.D. (1987). Applications of Absorption spectroscopy of .13 Organic Compounds. Prentice Hall of India Pvt Ltd, New Delhi.
- Li XQ, Tan, A., Voegtline, M., Bekele, S., Chen, C.S. and Aroian, .14 in *Bacillus thuringiensis* R.V. 2008. Expression of Cry5B protein from plant roots confers resistance to root-knot nematode. Biol. Control., 47: 97-102.
  - Pillai, O. and Panchagnula, R. (2001). Polymers in drug delivery. 15 Curr. Opin.Chem. Biol., 34: 447451.
- Reis, C.P., Neufeld, R.J., Ribeiro, A.J and Viega, F. (2005). 16 Insulinalginate nanospheres: influence of calcium on polymer matrix properties. Proceedings of the 13th International Workshop on Bio encapsulation. Kingston, Ontario, Canada: QueenTs University.
- Williamson, D.H. and Wilkinson, J.F. (1958). The isolation and .17 species. Journal of General *Bacillus* estimation of PHB inclusions of , 19: 198-209. Microbiology
- Xiong Y.C, Yao Y.C, Zhan X.C and Chen, G.Q. (2010). Application .18
  of polyhydroxyalkanoates Nanoparticles as Intracellular Sustained
  Drug Release Vectors. Journal of Biomedicals Science., 21:127-140.
  Yilmaz, M., Soran, H. and Beyatli, Y. (2005). Determination of Poly.19
- spp. World *Bacillus* β- hydroxybutyrate (PHB) production by some Journal of Microbiology and Biotechnology., 21: 565-566.



# IJSURP Publishing Academy International Journal Of Scientific And University Research Publication Multi-Subject Journal

### Editor.

International Journal Of Scientific And University Research Publication



www.ijsurp.com