

INTERNATIONAL JOURNAL OF SCIENTIFIC AND UNIVERSITY RESEARCH PUBLICATION

## International Journal Of Scientific And University Research Publication

ISSN No 101/320

Listed & Index with ISSN Directory, Paris



Multi-Subject Journal



Volum: (13) | Issue: (10) |

Research Paper



#### LIFT ON A LOW SPEED CIRCULAR ARC WING DUE TO AIR COMPRESSION

## Kern E. Kenyon || Professeur

A fluid flow model consisting of Bernoulli's law in its normal form, the equation of state of air stream force balance between a downward pressure gradient and

and the upward centrifugal force on fluid particles moving along curved streamlines over the top circular wing surface involving three equations in three unknowns (pressure, density and velocity) are solved to show that both density and pressure decrease upward as the inverse square of the distance from the circle's center, and the velocity is independent of that dis-tance. These derived characteristics are used to explain the lift force on the wing in what is believed to be a novel way.

## Slow Flight Lift, Air Compressibility

An explanation is in order as to why the form of Bernoulli's equation selected below does not have a compressibility term in it. Compressibility across streamlines is deemed more important for this problem than air density variations along individual streamlines.

= 0 is not anticipated to significantly C is a constant. Taking C where

affect the dynamics of the problem.

o=Sρp=Sρ

=C-12pu2

is the T is the gas constant for air and R and RT = Swhere temperature assumed constant.

∂p∂r=pu2r

measures distance from the center of the circle of which the r where arc wing's surface is a part.

Between (1) and (3) the density and velocity can both be eliminated to get the pressure equation

which has the solution

Conceptually, there are two different ways Bernoulli's law can lead to an understanding of increasing the lift on a plane's wing. One way normally thought of is to arrange the relative speed of air flow to be greater on the top surface than on the bottom one, because where the speed is greatest, the pressure is least [1]. A second way, which I have never seen advanced, is to have greater air density above than below. Nobody goes around saying that where the air is heaviest, the pressure is least. But one could say that as will be shown below.

Compressibility is here explored as the suggested extension of the lift force calculation for a circular arc wing in a recent study [2], which contains a separate innovation but has a limitation as well, presumed to have been stemming mainly from the assumption of constant air density, and/or possibly the adopted spatial structure of the fluid velocity. Getting around the limitation motivated the present discussion.

It is not normal to consider compressibility in fluid flow problems that involve flow speeds much lower than that of sound. Here, the evolution unexpectedly came from the study of incompressible fluid flow structures that have no friction according to the Navier-Stokes equations in polar coordinates, like circular ones where the velocity is inversely proportional to the radius [3]. Also, an apparently unrelated result came from applying compressibility to the tornado [4]. These investigations and the present one are not burdened by an initial assumption of irrotationality, upon which so much earlier work on lift is founded.

Intuition may suggest that if a gas impinges on a rigid surface, a wing for example, compression may occur at and near that surface even at low relative speeds. In other words, there could be a boundary layer of compressed air attached to the wing's top surface. For some reason, the text books in fluid dynamics appear to try to steer the researcher of compressibility toward the high speeds. Shock waves are interesting, of course.

p=constr2

 $p\partial r + 2p = 0$ 

where the constant in the numerator needs to be evaluated. Another constant could be added to (5) if the constant C in (1) were not set equal to zero.

From (2) and (5) the density is

2. METHOD

arc wing.

, pBegin by collecting three equations in three variables: pressure . These same three equations have been  $\rho\rho$ and density u velocity gathered before but for a very different application: the tornado [4]. First Equation (1) is Bernoulli's equation along a streamline which does not include the available compressibility term [5]. Second is the equation of state for air [6]. Third equation is the cross-stream force balance on fluid particles between a downward pressure force and an upward centrifugal force for curved streamlines above the circular

=constSr2

So both density and pressure decrease with increase of the radius as the inverse square. With this knowledge it can be shown from (1) that .r does not vary with uthe velocity

#### 3. DISCUSSION

, suggested by rdoes not vary with the radius u Given that the velocity over the top of the wing pelecheas the patch that the wing to infinity calculated, because its integral from the top of the wing to infinity will converge. Then by comparison with an analogous mass flux far away from the wing one of the constants can be evaluated. In this way the problem in the earlier study [1] can be avoided, where the air density was taken constant, the velocity decreased upward inversely ., and the mass flux integral diverged r with

For example, if the constant air density and relative flow speed away (6), then in U,  $\rho 0\rho 0$  from the wing are:

## const=\rho0hr0Sconst=\rho0hr0S

(7)

is the radius rOrO is the maximum thickness of the wing and hwhere of the circular arc's surface.

If the Schlieren imaging technique were to be applied to the air flowing over the top surface of a wing, perhaps density variations of the air could be detected which would strengthen the proposed lift concept.

#### استنتاج

According to the fluid flow model for air presented above, it is concluded that the lift force on a slowly translating circular arc wing can be related more to a boundary layer of compressed air attached to the wing's top surface than to the usual explanation of a greater mean flow speed above the wing compared to that below it.

### ref str

- Lift Force on a Circular Arc Wing. Natural **Kenyon, K.E. (2017)**https://doi.org/10.4236/ns.2017.910033
  Science, 9, 351-354.
- Lift on a Circular Arc Wing II. European **Kenyon**, **K.E.** (2020) International Journal of Science and Technology, 9, 21-24.
  - An Introduction to Fluid Dynamics. **Batchelor**, **G.K.** (1967) Cambridge University Press, San Diego, 203.
- Tornado's Compressibility. Natural Science, 12, **Kenyon, K.E.** (2020) 218-220.

https://doi.org/10.4236/ns.2020.124019

- Fluid Dynamics for Physicists. Cambridge **Faber**, **T.E.** (1995) University Press, Cambridge, UK, 86. https://doi.org/10.1017/CBO9780511806735
- Physical and Dynamical Meteorology. Cambridge **Brunt**, **D.** (1952) University Press, New York, 30.



# IJSURP Publishing Academy International Journal Of Scientific And University Research Publication Multi-Subject Journal

## Editor.

International Journal Of Scientific And University Research Publication



www.ijsurp.com